

Laboratory Turnaround Times - CP


92% On Time
29,837 of 32,466

Reporting Period: 4/1/2020 - 4/30/2020


On Time Percentages of Top Tests by Volume

	Apr 01	Apr 02	Apr 03	Apr 04	Apr 05	Apr 06	Apr 07	Apr 08	Apr 09	Apr 10	Apr 11	Apr 12	Apr 13	Apr 14	Apr 15	Apr 16	Apr 17	Apr 18	Apr 19	Apr 20	Apr 21	Apr 22	Apr 23	Apr 24	Apr 25	Apr 26	Apr 27	Apr 28	Apr 29	Apr 30	Overall
COMPLETE BLOOD COUNT WITH DIFF	91	93	93	94	93	95	93	94	94	92	94	92	93	94	96	93	95	94	93	92	92	93	94	92	96	96	90	95	95	93	93
CMP	92	89	87	88	89	88	84	88	86	89	93	93	87	83	89	88	87	93	90	87	89	89	87	84	92	92	86	90	87	93	88
UA	94	97	88	94	95	97	94	95	93	87	98	94	94	96	96	94	90	96	96	95	96	91	93	96	99	97	98	91	94	87	94
PT	95	97	93	92	89	95	92	93	96	92	89	95	88	88	93	99	94	100	96	90	94	91	97	91	96	99	94	96	89	92	93
CBC WITHOUT DIFFERENTIAL	100	98	94	97	98	100	93	89	92	95	97	97	96	95	96	97	99	100	97	96	96	99	100	100	100	97	99	94	98	94	97
APTT	100	98	89	94	85	91	97	93	95	92	89	95	84	87	87	96	90	96	97	91	91	88	97	88	94	96	94	95	86	89	92
BMP	86	95	92	91	81	79	88	90	88	84	84	90	96	87	91	86	94	84	100	88	90	92	86	87	87	96	88	89	90	92	89
Beta Human Chorionic Gonadotropin Qualitative , Urine	100	100	100	93	100	100	100	95	100	100	100	100	100	100	100	100	100	96	100	100	100	92	100	100	100	100	100	96	100	100	99
D-Dimer Quant for PE/DVT	100	94	86	100	92	86	71	100	71	91	100	100	92	89	85	93	92	82	83	95	80	90	83	100	93	100	89	88	88	60	90
Overall	93	93	90	92	92	92	90	92	91	90	94	93	91	90	93	92	92	94	93	91	92	91	92	90	95	95	91	92	92	92	92

Performed Tests With Defined Turnaround Times



Overdue Tests by Overdue Time



Laboratory Turnaround Times - CP	Ordered- Collected	Collected- Received	Received- Prelim	Received- Verified	Expected Turnaround	Overdue Time	% On Time
SHBL LABORATORY 3461/3688	35m	7m	14m	17m	31m	-14m	94
APTT 168/182	53m	9m		19m	30m	-11m	92
Beta Human Chorionic Gonadotropin Qualitative , Urine 6/6	1h 12m	17m		10m	25m	-15m	100
BMP 159/171	1h 7m	7m		27m	35m	-8m	93
CBC WITHOUT DIFFERENTIAL 109/112	37m	6m		7m	25m	-18m	97
CMP 1018/1103	21m	8m		27m	35m	-8m	92
COMPLETE BLOOD COUNT WITH DIFF 1115/1177	21m	7m	14m	8m	30m	-22m	95
D-Dimer Quant for PE/DVT 41/44	24m	8m		22m	35m	-13m	93
PT 280/292	29m	6m		17m	30m	-13m	96
UA 565/601	1h 18m	8m		14m	25m	-11m	94
SHBR LABORATORY 1582/1704	28m	9m	22m	16m	31m	-15m	93
APTT 72/76	20m	11m		17m	30m	-13m	95
Beta Human Chorionic Gonadotropin Qualitative , Urine 33/33	32m	5m		6m	25m	-19m	100
BMP 50/54	19m	16m		24m	35m	-11m	93
CBC WITHOUT DIFFERENTIAL 53/56	3h 16m	7m		6m	25m	-19m	95
CMP 499/528	17m	10m		25m	35m	-10m	95
COMPLETE BLOOD COUNT WITH DIFF 516/563	16m	8m	22m	7m	30m	-23m	92
D-Dimer Quant for PE/DVT 21/22	13m	6m		23m	35m	-12m	95
PT 105/109	19m	11m		17m	30m	-13m	96
UA 233/263	50m	6m		14m	25m	-11m	89

Laboratory Turnaround Times - CP		Ordered- Collected	Collected- Received	Received- Prelim	Received- Verified	Expected Turnaround	Overdue Time	% On Time
SHBW LABORATORY REGIONAL	13620/15266	1h 28m	18m	12m	19m	31m	-12m	89
APTT	810/898	32m	12m		21m	30m	-9m	90
Beta Human Chorionic Gonadotropin Qualitative, Urine	46/49	1h 22m	30m		12m	25m	-13m	94
BMP	745/863	42m	18m		29m	35m	-6m	86
CBC WITHOUT DIFFERENTIAL	1234/1281	30m	18m	17m	8m	25m	-17m	96
CMP	3803/4581	3h 17m	19m		30m	35m	-5m	83
COMPLETE BLOOD COUNT WITH DIFF	4167/4546	40m	18m	12m	11m	30m	-19m	92
D-Dimer Quant for PE/DVT	153/175	24m	21m		24m	35m	-11m	87
PT	1013/1095	27m	15m		20m	30m	-10m	93
UA	1649/1778	1h 9m	19m		14m	25m	-11m	93
SHGM LABORATORY	1805/1880	3h 41m	13m	13m	14m	31m	-16m	96
APTT	54/59	20m	6m		20m	30m	-10m	92
Beta Human Chorionic Gonadotropin Qualitative, Urine	83/83	33m	5m		7m	25m	-18m	100
BMP	58/60	15m	5m		23m	35m	-12m	97
CBC WITHOUT DIFFERENTIAL	69/69	12m	21m		6m	25m	-19m	100
CMP	563/601	12m	13m		23m	35m	-12m	94
COMPLETE BLOOD COUNT WITH DIFF	630/644	12m	14m	13m	7m	30m	-23m	98
D-Dimer Quant for PE/DVT	16/18	15m	12m		24m	35m	-11m	89
PT	71/78	17m	10m		20m	30m	-10m	91
UA	261/268	1d	13m		10m	25m	-15m	97

Laboratory Turnaround Times - CP	Ordered- Collected	Collected- Received	Received- Prelim	Received- Verified	Expected Turnaround	Overdue Time	% On Time
SHKL LABORATORY 446/473	19m	10m	14m	14m	30m	-16m	94
APTT 8/9	9m	8m		19m	30m	-11m	89
Beta Human Chorionic Gonadotropin Qualitative, Urine 26/26	12m	9m		5m	25m	-20m	100
BMP 21/24	19m	10m		26m	35m	-9m	88
CBC WITHOUT DIFFERENTIAL 8/9	58m	11m		9m	25m	-16m	89
CMP 122/134	14m	10m		24m	35m	-11m	91
COMPLETE BLOOD COUNT WITH DIFF 142/146	14m	10m	14m	5m	30m	-25m	97
D-Dimer Quant for PE/DVT 7/7	14m	12m		23m	35m	-12m	100
PT 25/27	25m	12m		17m	30m	-13m	93
UA 87/91	32m	9m		13m	25m	-12m	96
SHLH LABORATORY 1961/2060	3h 54m	5m	9m	14m	31m	-17m	95
APTT 150/155	13m	5m		18m	30m	-12m	97
Beta Human Chorionic Gonadotropin Qualitative, Urine 81/81	20m	7m		7m	25m	-18m	100
BMP 76/79	35m	5m		20m	35m	-15m	96
CBC WITHOUT DIFFERENTIAL 25/26	4d 8h	9m		6m	25m	-19m	96
CMP 560/588	11m	4m		22m	35m	-13m	95
COMPLETE BLOOD COUNT WITH DIFF 624/657	7h 20m	4m	9m	6m	30m	-24m	95
D-Dimer Quant for PE/DVT 37/40	16m	4m		24m	35m	-11m	93
PT 201/209	13m	5m		17m	30m	-13m	96
UA 207/225	44m	8m		14m	25m	-11m	92

Laboratory Turnaround Times - CP	Ordered- Collected	Collected- Received	Received- Prelim	Received- Verified	Expected Turnaround	Overdue Time	% On Time
SHPH LABORATORY 1523/1613	23m	8m	17m	15m	31m	-16m	94
APTT 71/74	18m	6m		22m	30m	-8m	96
Beta Human Chorionic Gonadotropin Qualitative, Urine 53/54	33m	6m		7m	25m	-18m	98
BMP 21/21	18m	18m		23m	35m	-12m	100
CBC WITHOUT DIFFERENTIAL 35/35	24m	20m		3m	25m	-22m	100
CMP 497/543	12m	7m		24m	35m	-11m	92
COMPLETE BLOOD COUNT WITH DIFF 552/574	12m	8m	17m	6m	30m	-24m	96
D-Dimer Quant for PE/DVT 12/14	23m	8m		28m	35m	-7m	86
PT 74/80	51m	14m		23m	30m	-7m	93
UA 208/218	1h 8m	10m		11m	25m	-14m	95
SHRC LABORATORY 1210/1341	16h 27m	9m	9m	17m	31m	-15m	90
APTT 21/21	13m	12m		17m	30m	-13m	100
Beta Human Chorionic Gonadotropin Qualitative, Urine 13/13	36m	10m		5m	25m	-20m	100
BMP 48/52	21m	11m		25m	35m	-10m	92
CBC WITHOUT DIFFERENTIAL 23/24	7d	18m		5m	25m	-20m	96
CMP 419/476	1d 8h	9m		26m	35m	-9m	88
COMPLETE BLOOD COUNT WITH DIFF 474/526	4h 51m	10m	9m	8m	30m	-22m	90
D-Dimer Quant for PE/DVT 20/23	11m	6m		26m	35m	-9m	87
PT 51/55	12m	9m		19m	30m	-11m	93
UA 141/151	53m	7m		15m	25m	-10m	93

Laboratory Turnaround Times - CP	Ordered- Collected	Collected- Received	Received- Prelim	Received- Verified	Expected Turnaround	Overdue Time	% On Time
SHUN LABORATORY 2220/2334	24m	15m	19m	14m	31m	-16m	95
APTT 66/70	16m	14m		19m	30m	-11m	94
Beta Human Chorionic Gonadotropin Qualitative , Urine 114/114	41m	6m		6m	25m	-19m	100
BMP 63/70	20m	28m		23m	35m	-12m	90
CBC WITHOUT DIFFERENTIAL 70/71	16m	8m		5m	25m	-20m	99
CMP 711/761	15m	16m		24m	35m	-11m	93
COMPLETE BLOOD COUNT WITH DIFF 732/774	15m	17m	19m	7m	30m	-23m	95
D-Dimer Quant for PE/DVT 28/30	16m	5m		22m	35m	-13m	93
PT 100/104	44m	13m		19m	30m	-11m	96
UA 336/340	57m	9m		10m	25m	-15m	99
SHZH LABORATORY 2009/2107	2h 52m	5m	12m	15m	30m	-16m	95
APTT 48/53	19m	12m		23m	30m	-7m	91
Beta Human Chorionic Gonadotropin Qualitative , Urine 161/163	19m	4m		8m	25m	-17m	99
BMP 28/32	17m	3m		25m	35m	-10m	88
CBC WITHOUT DIFFERENTIAL 65/66	12m	5m		4m	25m	-21m	98
CMP 606/643	11m	4m		25m	35m	-10m	94
COMPLETE BLOOD COUNT WITH DIFF 644/668	8h 9m	4m	12m	5m	30m	-25m	96
D-Dimer Quant for PE/DVT 24/27	14m	7m		29m	35m	-6m	89
PT 83/96	12m	9m		23m	30m	-7m	86
UA 350/359	50m	4m		12m	25m	-13m	97

Report Comments

The Turnaround Times report displays information about the time it took to verify CP and/or AP tests. The turnaround time (TAT) is defined as the time elapsed between the instant the specimen was received and the instant the test was first final verified. The TAT is calculated using the first received instant or the last received instant depending on the TAT basis setting that is specified in the laboratory and facility records.

The TAT compliance information is summarized on a chart to display what percentage of tests were on time by day, and there is a graph to show the total number of tests performed as well as how many of those were on time. This first graph is limited to showing the 25 tests with the greatest volume over the time interval specified. The On Time Threshold can be used to determine which tests are meeting on time percentage goals by shading values that meet the threshold in green, and shading those that do not in red.

The details of the report show the following time intervals: Ordered-Collected, Collected-Received, Received-First Preliminary Verify, Turnaround Time, Expected Turnaround Time and Overdue Time for each test verified in the specified date range. The group headers show averages of these time intervals and also the percentage of the tests that are TAT compliant in that group.

The report is able to be filtered on final verification dates and times, resulting lab, resulting section, test/protocol, test priority, order mode, collection department, submitter, and the types of tests (AP/CP/both), and to only show overdue tests. The report is also able to be grouped by up to three of the following: Resulting Lab, Resulting Section, Test/Protocol, Collection Department/Submitter, Order Mode, Priority/Case Type, Verifying/Responsible User, or Verified Date.